

Michigan

These leading causes of death 1...





. . . result from these risk behaviors. 2

Unintentional and Intentional Injuries

14% Rarely or never used safety belts

34% Rode with a drinking driver during the past month

16% Carried a weapon during the past month

35% Were in a physical fight during the past year

8% Attempted suicide during the past year

Alcohol and Other Drug Use

48% Drank alcohol during the past month

30% Reported episodic heavy drinking during the past month

26% Used marijuana during the past month

8% Ever used cocaine

16% Ever sniffed or inhaled intoxicating substances

Sexual Behaviors

45% Ever had sexual intercourse

14% Ever had four or more sex partners

31% Had sexual intercourse during the past three months

41% Did not use a condom during last sexual intercourse³

80% Did not use birth control pills during last sexual intercourse³

Tobacco Use

72% Ever smoked cigarettes

34% Smoked cigarettes during the past month

17% Smoked cigarettes on \geq 20 days during the past month

8% Used smokeless tobacco during the past month

20% Smoked cigars during the past month

Dietary Behaviors

15% At risk for becoming overweight⁴

10% Overweight⁵

81% Ate < 5 servings of fruits and vegetables per day during the past 7 days

79% Drank < 3 glasses of milk per day during the past 7 days

Physical Activity

36% Did not participate in vigorous physical activity⁶

73% Did not participate in moderate physical activity⁷

66% Were not enrolled in physical education class

73% Did not attend physical education class daily

17% Exercised ≤ 20 minutes during an average physical education class⁸

¹ 1997 Mortality data.

² 1999 Youth Risk Behavior Survey. Among high school students only, weighted data, including Detroit.

³ Among students who had sexual intercourse during the past 3 months.

⁴ Students who were at or above the 85th percentile but below the 95th percentile for body mass index by age and sex based on reference data from the National Health and Nutrition Examination Survey I.

⁵ Students who were at or above the 95th percentile for body mass index by age and sex based on reference data from the National Health and Nutrition Examination Survey I.

⁶ On 3 or more of the past 7 days.

⁷ On 5 or more of the past 7 days.

⁸ Among students enrolled in PE class.